

**Amendments to the Claims:**

This listing of claims will replace all prior listings of claims in the application.

Listing Of Claims:

**Claim 1 (currently amended):** A system for temperature control of a nucleic acid probe substrate, which controls the temperature to the substrate surface of which a plurality of nucleic acid probes containing single-stranded nucleic acid fragments having a complementary sequence in respect to a target DNA have been immobilized in order that the target DNA contained in a specimen is detected according to hybridization; the system comprising:

~~a heat conduction member comprising a heat conductive material disposed on the back of the substrate to the substrate surface of which the plurality of single-stranded nucleic acid fragments have been immobilized, and in contact with the back of the substrate;~~

~~a heater or cooler which is provided in contact with the heat conductive material;~~

~~and~~

~~a controller for controlling the amount of heat flowing across the heater or cooler and the heat conductive material, to control the temperature of the heat conductive material;~~

~~the temperature of the substrate disposed in contact being controlled through the temperature control of the heat conductive material.~~

A system for reaction of a nucleic acid comprising:

a reaction unit comprising

a nucleic acid probe array substrate having a nucleic acid probe

immobilized in an array on the substrate.

a cover member for forming a chamber with a top surface of said substrate, wherein a liquid can be filled into the chamber, and  
a heat conduction member for improving thermal diffusion in the liquid within said chamber, the heat conduction member being in contact with said substrate or said cover member; and  
a temperature control block for controlling the temperature of said heat conduction member,  
wherein said temperature control block includes a plurality of holes, and  
wherein said heat conduction member including a leg, the leg is adapted to be inserted into and in close contact with one of the plurality of holes of said temperature control block located on a back surface of said substrate, and the temperature control block being in contact with said substrate or said cover member.

**Claim 2 (currently amended):** ~~A system for temperature control of a nucleic acid probe substrate, which controls the temperature of a substrate to the substrate surface of which a plurality of nucleic acid probes containing single stranded nucleic acid fragments having a complementary sequence in respect to a target DNA have been immobilized in order that the target DNA contained in a specimen is detected according to hybridization; the system comprising:~~

~~a heat conduction member comprising a heat conductive material disposed on the surface of the substrate to the substrate surface of which the plurality of single stranded nucleic acid fragments have been immobilized, facing, and in contact with, the substrate surface, partly leaving a space for feeding the specimen therinto;~~

~~a heater or a cooler which is provided in contact with the heat conductive material; and~~

~~a controller for controlling the amount of heat flowing across the heater or cooler and the heat conductive material to control the temperature of the heat conductive material;~~

~~the specimen fed into the space and the substrate surface, which are in contact with the heat conductive material, being temperature controlled through the temperature control of the heat conductive material.~~

A system for reaction of a nucleic acid according to claim 1, wherein said temperature control block is a heat block adapted to receive a microtube.

**Claim 3 (currently amended):** The system according to claim 1, wherein said heat conduction member ~~heat conductive material~~ is formed of ~~any one of a metal, and a resin or a composite of metal and resin~~ these two or more.

**Claims 4-11 (withdrawn).**

**Claims 12-15 (canceled).**

**Claim 16 (currently amended):** The system according to claim 2, wherein said heat conduction member ~~heat conductive material~~ is formed of ~~any one of a metal, and a resin or a composite of metal and resin~~ these two or more.

Appl. No. 10/602,464

Paper dated August 1, 2006

Reply to Office Action dated May 1, 2006

**Claim 17 (new):** A reaction unit for use in the system for reaction according to claim 1.